

## Lie-down stand assembly manual

A quick (but important) note before we get started:

While all of our products are designed to slot in and out of each other with ease, this is sometimes not the case upon first assembly.

Wood is a natural, hygroscopic material. This is a fancy way of saying that wood absorbs moisture from the air in humid or damp conditions and releases moisture in arid or dry conditions. This moisture means wood can swell and expand or it can dry-out and contract. Timber can be sealed to prevent this from happening but sealing timber generally involves harmful chemicals and makes the timber difficult to recycle. This goes against our ethics as a company.

We make our joints very tight-fitting to ensure our products are stable when in use. These tight joints, combined with the swelling of timber caused when it absorbs moisture during transportation, can make the first assembly difficult. Some light tapping with a hammer may be required for the first assembly or two. With continued assembly/disassembly and using our products in an indoor setting, the joints will loosen and the timber will shrink as it dries out, making your workstation very easy to assemble or disassemble quickly with no tools necessary.

We just wanted you to be aware of that before we begin :)

## The Pieces



### Base piece

Quantity: X2

Note: The slot on these pieces is marginally off center.



### Side leg

Quantity: X2



### Bottom cross bar

Quantity: X1

Note: This piece has a small slot for the catch piece.



### Top cross bar

Quantity: X1

Note: This piece has a big slot to hold your laptop.



### Catch piece

Quantity: X1

# Assembly

## Step 1

Place one of the Base pieces on the ground. Slot one of the Side Legs into the Base piece.

The rebate cut at the bottom of the Side leg should be placed over the longer side (red arrow) of the slot in the Base piece (Fig 2).




Fig 1




Fig 2

Push the Side leg in all the way and then repeat with the other Side leg and Base piece.



Fig 3




Fig 4

## Step 2

Slot the Bottom cross bar into the Side legs with the central slot facing upwards.

As a guide to set this to a comfortable height, your middle fingers should be able to reach the "F" and "J" keys on your laptop while keeping your elbows on the ground.




Fig 5




Fig 6

## Step 3

Insert the Catch piece into the slot on the Bottom cross bar. This piece is used to prevent the laptop from sliding away from you while the Lie-down stand is in use.




Fig 7




Fig 8

## Step 4

Insert the Top cross bar into the Side legs at the correct height for your laptop. The weight of the Laptop should be resting on the Bottom crossbar; the Top cross bar is only used to keep the laptop in place.




Fig 9




Fig 10

Please be very careful when getting on to or up from the ground and when lifting the stand off you. Do not sit, stand, lean on or place excessive weight on the Lie-down stand and please do not shake the stand from side to side as the laptop stand can be toppled over under pressure.

100 Tree Furniture will not accept any responsibility for injuries or damages caused by the improper or careless use of our products. Happy working :)